

### Lecture #7 of 14 (3: TThF, 5: MTW<u>Th</u>F, 4: MTWTh, 2: TW)

Prof. Shane Ardo Department of Chemistry University of California Irvine

#### Chemical Properties (let's review TThFMTW)

• T: Molecular nomenclature, Solutions, Balanced chemical reactions, State functions, Standard states, Thermochemistry

124

- Th: Non-ideal gases, Intermolecular forces, Physical properties, Phase changes
- F: Colligative properties, Water activity, Free energy, (X)Chemical potential, Entropic "force", Activity coefficients, Chemical equilibrium
- M: van't Hoff equation, Le Chatelier's principle
- T: Schrödinger equation, Internal energy, Atomic orbitals, Hybridization, Valence bond theory, Molecular orbital theory, Band diagrams
- W: Crystal field theory, Ligand field theory



# **Charged Interfaces**

Prof. Shane Ardo Department of Chemistry University of California Irvine



#### Charged Interfaces

- Vacuum level, Redox half-reactions
- Nernst equation
- History, Conventions
- Electrodes, Potentiostat
- Electric double layer
- Electric potentials, Liquid-junction potentials, Donnan potential, Membrane potential
- pH probe, Acidity scale, Titrations, Buffering, Henderson–Hasselbalch equation
- Latimer diagram, Pourbaix diagram

# Who's best equipped to succeed in EChem?

- (A) Chemists?
- (B) Physicists?
- (C) Chemical Engineers?
- (D) Electrical Engineers?

## (E) Materials Scientists?

<u>Answer</u>: Everyone!... having each of these people in a room is best... **or just one of you all!** 

#### Vacuum Level and Other Reference States

Hess's law allows one to accurately determine the overall change in a state function ( $\Delta G^{0,\alpha}$ ,  $\Delta H^{0,\alpha}$ ,  $\Delta S^{0,\alpha}$ , etc.) via knowledge of the change in the state function for intermediate steps...

#### $A \rightleftharpoons B + 2C \rightleftharpoons D$

Just add'em up!... is this concept easy, medium, or hard for you?

... Good!... and we learned that sometimes it helps to think of a reaction moving species to the local vacuum level to form intermediates... *a reference state loved by physicists*... and then putting the species back into the system... even though that does not happen in practice...

... is this concept easy, medium, or hard for you?

... Good, again!... given that, **reduction potentials** and **acidity** should be easy for you to grasp, since they follow directly from these ways of thinking...



128

#### Gas-Phase Chemistry Terminology



129

... is this most relevant to internal energy (Schrodinger equation) or free energy (reactivity)?

#### Red–Ox (Redox) Half-Reactions

Each reduction half-reaction is referenced to something...

$$E_{\rm cell} = E_{\rm red} - E_{\rm ox} = -\Delta G/nF$$

Since the method of half-reactions ultimately results in us taking their difference, we can add an arbitrary constant to all half-reactions... by one (somewhat arbitrary) convention, many standard tables assume that  $E^{\circ}$  for the standard hydrogen electrode **(SHE)** is equal to zero, and that a hypothetical SHE has 1 atm H<sub>2</sub> (standard state) and  $a_{H+} = 1$ .

#### Half-Reaction for evolution of hydrogen gas (H<sub>2</sub>) (SHE):

 $Pt(e^{-}) + H^{+}(aq) \rightarrow \frac{1}{2}H_{2}(g) \text{ ... every time you see a single direction}$ arrow, it should really be a set of $<math display="block">E_{H_{2}} = E_{H_{2}}^{0} + \frac{RT}{F}\ln\frac{\sqrt{p_{H_{2}}}}{[H^{+}]} \qquad E_{H_{2}}^{0} = 0 \qquad \text{stacked reversible arrows}$ 

... anyway, potentials for half-cell reactions <u>are</u> actually full-cell potential (difference(s)) *versus* SHE... ... or other another electrode... like AgCl(s)/Ag(s),Cl<sup>-</sup>(aq)... or the local vacuum level!)



130

#### Nernst Equation

"Half-reactions", at non-unity activity, obey the Nernst equation ...

... take  $\Delta G = \Delta G^0 + RT \ln Q$  and use the relation  $\Delta G = w' = zq\phi = -nFE$ ,



... look what I found... this is incorrect... but why?... what can we do to fix this?



... memorize  $\sim 60 \text{ mV per order}$  in  $\log_{10}$ , but do not forget *n* and that this is at 25 °C!

#### A Brief History Lesson on Electrochemistry

Electrochemistry is associated with Luigi Galvani who discovered "animal electricity" ... while trying to Frankenstein frogs legs (1791)



Physician, Physicist, Philosopher

132



Luigi Galvani (1737 - 1798)from Wiki

#### (Almost) The First Battery: the Voltaic Pile

Invented by Alessandro Volta (1800), but...

... the elements of the pile (galvanic cells) were named after Galvani



What are the combined halfreactions? Electrolyte (salt water) Zinc Copper

> Volta presenting his "Voltaic Pile" to Napoleon and his court... and now he is a Count!



133

Alessandro Volta (1745–1827) from Wiki



At the Tempio Voltiano (the Volta Temple) near Volta's home in Como, Italy.

http://en.wikipedia.org/wiki/Voltaic\_pile

http://en.wikipedia.org/wiki/Alessandro\_Volta

#### Galvanic Cells

# Every non-equilibrium cell is a galvanic cell (in one direction, i.e. the spontaneous direction)

Physically separating the halfreactions allows the electrons to go over a long distance, from the anode to the cathode via a (solid) conductor: basis for conversion of chemical energy into electricity = "Electrochemistry"!



Salt bridge is an ionic conduit to prevent capacitive buildup of charge in both compartments and also to prevent bulk mixing of the two solutions

#### Electrolysis of Water



William Nicholson (1753–1815)



Sir Anthony Carlisle (1768–1840)



Johann Wilhelm Ritter (1776–1810)



William Cruickshank (17??–1810(1))

Volta's results were shared with the scientific community and then, *boom*, many people demonstrated electrolysis the same year, and later electroplating!



http://en.wikipedia.org/wiki/Johann\_Wilhelm\_Ritter

#### The First Battery: the Daniell Cell (1836)



NET REACTION:  $Zn(s) + Cu^{2+}(aq) \rightarrow Zn^{2+}(aq) + Cu(s)$ 

... the net reaction occurs when Zn(s) is immersed into CuSO<sub>4</sub>(aq)... **spectator ions**, e.g. SO<sub>4</sub><sup>2-</sup>, are omitted ... EChem gives you a way to drive the reaction backward... using electricity to perform chemical work

136

from Wiki

#### Acronym's Anyone?

**OIL RIG** 

- Oxidation
- Is
- Loss. (of electrons)
- Reduction
- Is Gain. (of electrons)

... Ugh!... you didn't hear this from me!



Cathode – electrode where catholyte species are reduced Anode – electrode where anolyte species are oxidized

Does a Negative/Positive Electrode = Cathode or Anode?... It depends!

For the discharging (galvanic) battery, label the anode and the cathode.



http://autoshop101.com/

Cathode – electrode where catholyte species are reduced Anode – electrode where anolyte species are oxidized

Does a Negative/Positive Electrode = Cathode or Anode?... It depends!

For the charging (electrolytic) battery, label the anode and the cathode.



http://autoshop101.com/

**Positive electrode** – positively charged; immersed in the **posolyte Negative electrode** – negatively charged; immersed in the **negolyte** 

... I'm not kidding!

... Sheesh!...

... <u>Take-home message: For batteries, don't call electrodes anodes and</u> <u>cathodes</u> (but the naming convention used by most is for discharge)



http://autoshop101.com/



http://upload.wikimedia.org/wikipedia/commons/thumb/c/cc/Map\_of\_USA\_TX.svg/2000px-Map\_of\_USA\_TX.svg.png



**Figure 1.1** American (left) and IUPAC (right) voltammogram conventions.

... Sadly, one if the top Electrochemistry textbooks by Bard & Faulkner uses the convention on the left... ... which makes learning electrochemistry harder than it needs to be... Ugh!

Handbook of Electrochemistry, Zoski (ed.), Elsevier, 2007



#### Charged Interfaces (summary for today)

- Vacuum level, Redox half-reactions
- Nernst equation
- History, Conventions
- Electrodes, Potentiostat
- Electric double layer
- Electric potentials, Liquid-junction potentials, Donnan potential, Membrane potential
- pH probe, Acidity scale, Titrations, Buffering, Henderson–Hasselbalch oapert equation

144

Latimer diagram, Pourbaix diagram